# **JANUARY 2022**



Winter arrived with conviction at the dawn of the new year in Oklahoma and delivered a startling counterpunch to the record-shattering heat of December. At least five strong cold fronts traversed the state during January, each one drawing Oklahoma back into a more familiar winter mindset as memories of December's warmth faded. The disparity in the hours below freezing as measured by the Oklahoma Mesonet was demonstrative of the difference between the two winter months. During December, most of the state spent between 50 and 150 hours below freezing. Eufaula had the fewest freezing hours with only 18. In January, those times were more than tripled to between 250 and 400 hours, and Durant's 196 hours was a far greater lowest total. One aspect of the weather that both months shared was the lack of moisture and resulting drought intensification. Drought coverage actually decreased by 2% across the state from 90% at the end of December to 88% at the end of January

# **January 2022 Statewide Extremes**

Description	Extreme	Station	Day
High Temperatur	78°F	Waurika	18
Low Temperature	-6°F	Eva	2
High Precipitation	1.86 in.	Talihina	
Low Precipitation	0.06 in.	Foraker	

according to the U.S. Drought Monitor. The amount of extreme and exceptional drought, the two worst categories used by the Monitor, had more than doubled from 23% to 49% over that period. Only 4% had satisfactory moisture conditions at month's end, contained within a small area of far east central Oklahoma. Significant snowfall remained scarce, although small patches of the state reported 2 to 5 inches for the month.

According to preliminary data from the Oklahoma Mesonet, the statewide average precipitation total was 0.52 inches to rank as the 20th driest January on record dating back to 1895, 1.05 inches below normal. No part of Oklahoma experienced a surplus during January, with most of the state falling below 25% of normal. Talihina led the Mesonet totals at 1.86 inches, while Foraker had the least with a meager 0.06 inches. Twelve other Mesonet sites failed to eclipse a tenth of an inch during the month, while another 24 sites fell

below a quarter-inch of precipitation. Only 17 sites managed to reach above an inch, all across the eastern half of the state. Combine January with the dreadfully dry December and the first two months of climatological winter falls to the 12th driest on record with a statewide average of 1.4 inches, 2.28 inches below normal. For the Panhandle and north central Oklahoma, it was the third and second driest such periods, respectively. Nearly all areas of the state fell 1 to 3 inches below normal during the first two months of winter.

The statewide average temperature finished at 37 degrees, 1.3 degrees below normal and ranked as the 59th coldest January since records began in 1895. That's a remarkable departure from December 2021's statewide average of 50.4 degrees, a difference of 13.4 degrees between the two winter months. January's highest reading of 78 degrees came at Waurika on the 18th. Eva recorded the lowest January

# **January 2022 Statewide Statistics**

#### **Temperature**

	Average	Depart.	Rank (1895-2022)
Month (January)	37.0°F	-1.3°F	59th Coldest
Season-to-Date (Dec-Jan)	43.7°F	4.5°F	2nd Warmest

#### Precipitation


	Total	Depart.	Rank (1895-2022)
Month (January)	0.52 in.	-1.05 in.	20th Driest
Season-to-Date (Dec-Jan)	1.40 in.	-2.28 in.	12th Driest

Depart. = departure from 30-year normal


temperature with minus 6 degrees on Jan. 2. The wind chill at Eva reached as low as minus 22 degrees to lead the Mesonet in that January category as well. There were 43 wind chill values of less than minus 10 degrees across the 120 Mesonet sites during the month. Combined, the first two months of climatological winter finished at 43.7 degrees statewide, the second warmest such period since records began in 1895 and 4.5 degrees above normal. Only the December 1922-January 1923 mark of 44.1 degrees was higher.

The February drought outlook from the Climate Prediction Center does not hold much hope for improvement, save for far southeastern Oklahoma where some relief is noted. Persistence is indicated elsewhere. The temperature outlook maintains equal chances of above-, below-, and near-normal temperatures, and there is only a small sliver of southeastern Oklahoma with increased odds of above normal precipitation according to the precipitation outlook. February is the second driest calendar month for Oklahoma, therefore above normal precipitation would be necessary to impact drought conditions.


# **JANUARY 2022 OBSERVED PRECIPITATION**




# **JANUARY 2022 DEPARTURE FROM NORMAL PRECIPITATION**




# **JANUARY 2022 PERCENT OF NORMAL PRECIPITATION**



# **JANUARY 2022 AVERAGE TEMPERATURE**




# **JANUARY 2022 DEPARTURE FROM NORMAL TEMPERATURE**



# **MESONET MONTHLY SUMMARY FOR JANUARY 2022**


NAME	MEAN TEMP		DAY	LOW TEMP	DAY	HDD	CDD	TOT PPT	HIGH 24-HR	DAY	NAME	MEAN TEMP		DAY	LOW TEMP	DAY	HDD	CDD		HIGH 24-HR	DAY
PANHANDLE Arnett Beaver Boise City Buffalo Eva	35.4 33.5 33.9 34.3 33.0	75 70 67 71 69	8 31 31 31 31	6 0 -3 1 -6	21 2 2 2 2	918 976 963 951 991	0 0 0 0	.10 .09 .11 .12	.06 .07 .04 .11	3 3 26 3 21	Goodwell Hooker Kenton Slapout	35.0 33.4 33.5 35.8	72 69 69 70	8 31 31 8	1 -3 -5 5	2 2 2 2	931 980 978 907	0 0 0	.11 .08 .32 .10	.07 .03 .09 .08	21 26 2 3
NORTH CENTRAL Alva Blackwell Breckinridge Cherokee Fairview Freedom Lahoma	34.4 33.2 34.3 33.9 36.1 34.5 34.9	72 71 71 72 72 72 72	31 31 31 31 31 31 31	4 5 4 5 5 4 6	21 21 21 2 21 2 21 2	948 986 953 964 896 947 933	0 0 0 0 0	***** .08 .23 .09 .24 .13 .19	.07 .07 .13 .03 .11 .11	3 3 27 3 27 3 27	May Ranch Medford Newkirk Red Rock Seiling Woodward	35.3 33.5 34.4 35.3 34.5 36.4	71 69 70 72 70 72	31 31 31 31 31 31	6 5 5 3 7	2 21 21 21 21 21	920 976 949 921 944 888	0 0 0 0 0	.10 .07 .08 .29 .19	.07 .05 .05 .11 .09	3 3 1 3 3
NORTHEAST Bixby Burbank Copan Foraker Inola Jay Miami Nowata	36.9 34.9 35.0 35.4 35.3 34.2 33.6	72 72 70 71 70 68 68 69	31 31 31 31 31 31 31	11 5 5 6 8 6 6 4	21 21 21 21 21 21 21 21	870 933 929 931 919 922 955 974	0 0 0 0 0 0	.61 .13 .11 .06 .72 .95 .94	.54 .05 .05 .02 .56 .56	1 1 1 1 1 1 1	Pawnee Porter Pryor Skiatook Talala Tulsa Vinita Wynona	36.3 37.2 34.8 37.2 34.9 38.0 33.6 36.1	72 71 69 70 70 71 69 72	31 31 31 31 31 31 31	5 9 7 9 5 9 5 7	21 21 21 21 21 21 21 21	890 862 935 861 932 838 974 896	0 0 0 0 0 0	.19 .74 .81 .63 .57 .68 .66	.14 .66 .55 .50 .46 .58 .46	1 1 1 1 1 1 1
WEST CENTRAL Bessie Butler Camargo Cheyenne Elk City	37.5 35.8 34.5 38.2 37.7	74 74 72 72 73	13 13 8 8 13	6 5 1 9 7	21 2 21 7 21	851 904 945 831 845	0 0 0 0	.32 .22 .28 .16	.17 .08 .15 .07	27 2 27 27 27	Erick Putnam Watonga Weatherford	36.0 36.2 37.3 36.8	74 70 70 71	8 31 29 8	6 6 8 9	21 21 21 21	899 892 858 874	0 0 0	.29 .26 .24 .31	.12 .14 .12 .20	1 27 3 27
CENTRAL Acme Bristow Lake Carl Blac Chandler Chickasha El Reno Guthrie Kingfisher Marena Minco Marshall	38.2 36.2 34.5 38.0 36.6 35.7 37.3 35.4 36.5 37.1 34.7	72 71 72 72 72 72 72 73 73 70 72	13 31 31 31 31 31 31 31 31 31	3 5 0 6 4 2 6 3 7 10 3	21 21 21 21 21 21 21 21 21 21 21	830 893 946 836 880 910 859 919 882 864 938	0 0 0 0 0 0 0	.68 .69 .22 .65 .50 .33 .20 .21 .23 .33	.56 .66 .15 .61 .44 .15 .18 .15 .17 .22	1 1 1 1 1 1 3 1 1	Norman Oilton OKC East Okemah Perkins Seminole Shawnee Spencer Stillwater Washington Yukon	38.0 35.8 37.8 37.4 36.9 38.8 38.5 38.5 35.6 38.7 36.9	72 71 71 69 72 71 71 73 72 71	31 31 31 31 31 31 31 31 31 31	10 3 7 8 6 9 8 5 4 7	21 21 21 21 21 21 21 21 21 21 21	838 904 844 856 872 811 820 820 912 816 870	0 0 0 0 0 0 0	.71 .58 .44 1.17 .27 1.05 .96 .45 .21 .77	.65 .53 .43 1.11 .23 1.03 .88 .45 .17 .71	1 1 1 1 1 1 1 1 1 1
EAST CENTRAL Cookson Eufaula Haskell Hectorville Holdenville McAlester Okmulgee	37.0 39.3 36.6 38.3 39.2 39.3 37.2	68 70 71 71 69 69 71	31 31 31 31 31 33 31	7 10 9 9 8 8	21 21 21 21 21 21 21	867 797 880 827 799 798 862	0 0 0 0 0	1.36 .70 .78 .65 1.05 1.33 .83	1.03 .67 .71 .62 1.02 1.31 .78	1 1 1 1 1 1	Sallisaw Stigler Stuart Tahlequah Webbers Falls Westville	37.0 37.9 39.8 36.1 36.3 35.8	70 70 69 68 70 66	31 31 13 31 31 31	10 11 11 11 9	21 21 21 21 21 21	867 840 782 896 890 905	0 0 0 0 0	1.27 1.14 .85 .87 .95	1.16 1.08 .84 .63 .87	1 1 1 1 1
SOUTHWEST Altus Apache Fort Cobb Grandfield Hinton Hobart	37.9 37.8 36.9 39.5 36.7 36.7	76 72 72 76 69 73		9 8 6 10 7 7	21	839 845 872 789 879 877	0 0 0 0 0	.35 .40 .44 .59 .45	.14 .26 .28 .42 .21	28 1 1 1 27 28	Hollis Mangum Medicine Park Tipton Walters	37.8 36.6 40.4 37.9 39.4	75 75 73 76 75	13 13 13 8 13	8 4 12 7 10	21 21 1 21 21	844 880 763 841 795	0 0 0 0	.36 .52 .66 .33	.17 .22 .46 .18	27 1 1 27 1
SOUTH CENTRAL Ada Ardmore Burneyville Byars Centrahoma Durant Fittstown Ketchum Ranch	39.1 41.2 40.1 39.9 39.3 42.1 39.7 39.5	75 76 72 73 73 72	13 13 13 13 13 13 13 13		21 21 21 21	803 738 772 779 796 709 785 791	0 0 0 0 0 0	.82 .22 .10 .89 .65 .70	.78 .17 .07 .87 .63 .64 .83	1 1 1 1 1 1 1	Lane Madill Newport Pauls Valley Ringling Sulphur Tishomingo Waurika	39.5 41.0 41.0 39.2 40.4 38.6 39.3 40.4	74 75 76 73 75 73 73 78	13 18 13	11 12 12 7 10 9 12 8	21 21 21 21 21 21 21 21	789 745 745 801 762 820 798 763	0 0 0 0 0 0	.46 .16 .31 .59 .33 .70 .36	.40 .12 .25 .55 .32 .65 .28	1 1 1 1 1 1 1
SOUTHEAST Antlers Broken Bow Clayton Cloudy Hugo Idabel	39.9 41.3 39.7 40.2 *****	70 72 ***	13		21 22 ***	779 736 783 768 ****	0 0 0 0 ****	1.51 1.17 1.17 1.48 .91	1.44 .72 1.05 1.22 .84 .35	1 1 1 1 1	Mt Herman Talihina Valliant Wilburton Wister	39.9 39.3 41.1 38.5 37.8	71 70 72 70 70		15 11 15 9 10	22 21 22 21 21	777 797 742 822 844	0 0 0 0	1.09 1.86 1.36 1.08 1.84	.70 1.65 1.10 .93 1.61	1 1 1 1

# 2022 STATEWIDE PRECIPITATION MONTHLY TOTALS VS. NORMAL



# **January 2022 Mesonet Precipitation Comparison**

Climate Division	Precipitation (inches)	Departure from Normal (inches)	Rank since 1895	Wettest on Record (Year)	Driest on Record (Year)	Jan-21 (inches)
Panhandle	0.14	-0.43	28th Driest	1.94 (2017)	0.00 (1923)	0.55
North Central	0.15	-0.83	16th Driest	4.16 (1949)	0.00 (1986)	1.91
Northeast	0.53	-1.19	14th Driest	6.87 (1916)	0.01 (1986)	3.48
West Central	0.26	-0.62	34th Driest	3.74 (1949)	0.00 (1976)	1.34
Central	0.50	-0.92	31st Driest	5.58 (1949)	0.00 (1986)	2.23
East Central	0.99	-1.43	30th Driest	11.21 (1916)	0.04 (1986)	2.42
Southwest	0.47	-0.58	42nd Driest	4.48 (1949)	0.00 (1912)	1.24
South Central	0.52	-1.51	23rd Driest	7.70 (1916)	0.03 (1986)	2.36
Southeast	1.29	-1.95	23rd Driest	11.13 (1949)	0.20 (1943)	4.74
Statewide	0.52	-1.05	20th Driest	5.35 (1949)	0.03 (1986)	2.24



# **January 2022 Mesonet Temperature Comparison**

Climate Division	Average Temp (F)	Departure from Normal (F)	Rank since 1895	Hottest on Record (Year)	Coldest on Record (Year)	Jan-21 (F)
Panhandle	34.2	-1.1	61st Coolest	42.9 (2006)	19.7 (1940)	36.5
North Central	34.7	-1.1	63rd Warmest	45.0 (2006)	18.8 (1940)	37.9
Northeast	35.5	-0.9	62nd Coolest	46.2 (2006)	20.6 (1940)	38.2
West Central	36.7	-0.9	60th Warmest	46.1 (2006)	21.3 (1930)	39.2
Central	37.0	-1.6	56th Coolest	47.7 (2006)	22.8 (1930)	39.7
East Central	37.7	-1.5	50th Coolest	48.0 (1923)	24.8 (1918)	40.6
Southwest	38.0	-2.1	53rd Coolest	48.1 (2006)	23.6 (1930)	41.3
South Central	40.0	-1.3	58th Coolest	49.7 (1923)	27.5 (1930)	42.6
Southeast	39.9	-1.1	61st Coolest	48.7 (1907)	27.7 (1918)	42.4
Statewide	37.0	-1.3	59th Coolest	46.8 (2006)	23.7 (1940)	39.7

# **MESONET EXTREMES FOR JANUARY 2022**

Climate Division	High Temp (F)	Day	Station	Low Temp (F)	Day	Station	High Monthly Rainfall (inches)	Station	High Daily Rainfall (inches)	Day	Station
Panhandle	75	8th	Arnett	-6	2nd	Eva	0.32	Kenton	0.11	3rd	Buffalo
North Central	72	31st	Red Rock	3	21st	Seiling	0.29	Red Rock	0.13	27th	Breckinridge
Northeast	72	31st	Pawnee	4	21st	Nowata	0.95	Jay	0.66	1st	Porter
West Central	74	13th	Butler	1	21st	Camargo	0.32	Bessie	0.20	27th	Weatherford
Central	73	31st	Stillwater	0	21st	Lake Carl Blackwell	1.17	0kemah	1.11	1st	0kemah
East Central	71	31st	Okmulgee	7	21st	Cookson	1.36	Cookson	1.31	1st	McAlester
Southwest	76	18th	Grandfield	4	21st	Mangum	0.66	Medicine Park	0.53	1st	Walters
South Central	78	18th	Waurika	7	21st	Burneyville	0.90	Fittstown	0.87	1st	Byars
Southeast	74	13th	Antlers	9	21st	Wilburton	1.86	Talihina	1.65	lst	Talihina
Statewide	78	18th	Waurika	-6	2nd	Eva	1.86	Talihina	1.65	1st	Talihina

### Oklahoma Climate Divisions



# U.S. Drought Monitor Oklahoma

# January 25, 2022

(Released Thursday, Jan. 27, 2022) Valid 7 a.m. EST

Drought Conditions (Percent Area)

		9		1			
	None	D0-D4	D1-D4	D2-D4	D3-D4	D4	
Current	3.91	96.09	88.23	77.66	49.17	2.90	
Last Week 01-18-2022	4.80	95.20	88.04	73.86	46.55	2.06	
3 Month's Ago 10-26-2021	5.05	94.95	40.74	10.90	0.77	0.00	
Start of Calendar Year 01-04-2022	5.02	94.98	88.14	72.26	40.44	0.00	
Start of Water Year 09-28-2021	6.45	93.55	73.23	23.72	2.65	0.00	
One Year Ago 01-26-2021	75.15	24.85	10.93	4.05	0.23	0.00	

Intensity:	
None	D2 Severe Drought
D0 Abnormally Dry	D3 Extreme Drought
D1 Moderate Drought	D4 Exceptional Drought

The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to https://droughtmonitor.unl.edu/About.aspx

Author: Brad Rippey

U.S. Department of Agriculture









droughtmonitor.unl.edu

#### INTERPRETATION INFORMATION

**MEAN DAILY TEMPERATURE:** Calculated from an average of the daily maximum and minimum temperatures. Daily averages are summed for each day, and then divided by the number of valid data points - typically the number of days in the month. Although this November differ from the "true" daily average, it is consistent with historical methods of observation and comparable to the normals and extremes for stations and regions of the state.

**DEGREE DAYS:** Degree Days are calculated each day of the month for which there is a temperature report and the mean temperature for the day is less than (Heating Degree Days) or greater than (Cooling Degree Days) 65 degrees. Daily values are summed to arrive at a monthly total. HDD/CDD are qualitative measures of how much heating/cooling was required to maintain a comfortable indoor temperature. Missing observations November result in an artificially high or low value.

# **ADDITIONAL RESOURCES**

#### **SUNRISE / SUNSET TABLES**

U.S. Naval Observatory: http://aa.usno.navy.mil/data

#### **SEVERE STORM REPORTS**

Storm Prediction Center: http://spc.noaa.gov/climo/

National Centers for Environmental Information:

https://www.ncdc.noaa.gov/stormevents/

#### **SEASONAL OUTLOOKS**

**Climate Prediction Center:** 

http://www.cpc.ncep.noaa.gov/products/OUTLOOKS\_index.shtml

# CLIMATE CALENDARS AND OTHER LOCAL WEATHER AND CLIMATE INFORMATION

Oklahoma Climatological Survey:

http://climate.mesonet.org\_or\_http://climate.ok.gov/



Oklahoma Climatological Survey is the State Climate Office for Oklahoma

Dr. Kevin Kloesel Director
Dr. Chris Fiebrich Associate Director

#### **EDITOI**

Gary D. McManus State Climatologist

#### **CONTENT AND LAYOUT ASSISTANT**

Andrea Dawn Melvin Outreach Coordinator

For more information, contact:

Oklahoma Climatological Survey The University of Oklahoma 120 David L. Boren Blvd., Suite 2900 Norman, OK 73072-7305

TEL: 405-325-2541

FAX: 405-325-7282

E-MAIL: ocs@ou.edu

WEBSITE: http://climate.ok.gov